50101020

AC/SAS:gth 02/28/06 4239-66649-03 491969 E-323-2003/0-US-03

EXPRESS MAIL LABEL NO. EV669611737US DATE OF DEPOSIT: February 28, 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Kashmiri et al.

Application No.

Filed: Herewith

Confirmation No.

For: MINIMALLY IMMUNOGENIC

VARIANTS OF SDR-GRAFTED

HUMANIZED ANTIBODY CC49 AND

THEIR USE

Examiner:

Art Unit:

Attorney Reference No. 4239-66649-03

MAIL STOP PCT COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

CERTIFICATE OF EXPRESS MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as Express Mail Label No. EV669611737US in an envelope addressed to: MAIL STOP PCT, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on the date shown

Attorney or Agent for Applicant(s)

Date Mailed February 28, 2006

<u>INFORMATION DISCLOSURE STATEMENT</u> PURSUANT TO 37 C.F.R. § 1.97(b)(2)

Listed on the accompanying form PTO-1449 and enclosed herewith are several English-language documents. Applicants respectfully request that these documents be listed as references cited on the issued patent.

Copies of United States patents and United States published patent applications do not have to be provided to the Patent Office (37 C.F.R. 1.98(a)(2)(ii)). Copies of unpublished U.S. applications do not have to be provided, as long as the application is available on PAIR, as this requirement of 37 C.F.R. § 1.98(a)(2)(iii) has been waived by the United States Patent and Trademark Office pursuant to the Official Gazette Notice on October 19, 2004 (1287 OG 163). Applicants will provide copies of such patents or applications upon request.

APS Rec'd PETITIO 28 FEB

AC/SAS:gth 02/28/06 4239-66649-03 491969 E-323-2003/0-US-03

EXPRESS MAIL LABEL NO. EV669611737US DATE OF DEPOSIT: February 28, 2006

Applicants filed this Information Disclosure Statement ("IDS") within three months of the date of entry of the national stage as set forth in § 1.491 in an international application. As a result, no fee should be required to file this IDS. However, if the Patent Office determines that a fee is required for Applicants to file this IDS, please charge any such fees, or credit overpayment, to Deposit Account No. 02-4550. Deposit Account authority is provided on the accompanying transmittal letter.

The filing of this IDS shall not be construed to be an admission that the information cited in the statement is, or is considered to be, prior art or otherwise material to patentability as defined in 37 C.F.R. §1.56.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

Anne Carlson, Ph.D.

Registration No. 47,472

One World Trade Center, Suite 1600 121 S.W. Salmon Street

Portland, Oregon 97204 Telephone: (503) 226-7391 Facsimile: (503) 228-9446

DATE OF DEPOSIT: February 28, 2006

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Attorney Docket Number	4239-66649-03
Application Number	10/1/10/200
Filing Date	Herewith
First Named Inventor	Kashmiri
Art Unit	
Examiner Name	

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

Examiner's Initials*	Cite No. (optional)	Number	Publication Date	Name of Applicant or Patentee
		4,816,567	28 March 1989	Cabilly et al.
- 1 -		5,472,693	5 Dec 1995	Gourlie et al.
		5,482,040	9 Jan 1996	Martin, Jr.
		5,512,443	30 April 1996	Schlom et al.
•		5,534,254	9 July 1996	Huston et al.
		5,585,089	17 Dec 1996	Queen et al.
		5,688,657	18 Nov 1997	Tsang et al.
		5,976,531	2 Nov 1999	Mezes et al.
		5,976,845	2 Nov 1999	Mezes et al.
		5,994,511	30 Nov 1999	Lowman et al.
		6,054,297	25 April 2000	Carter et al.
		6,180,370	30 Jan 2001	Queen et al.
		6,333,405	25 Dec 2001	Anderson et al.
		6,495,137	17 Dec 2002	Mezes et al

EXAMINER	DATE
SIGNATURE:	CONSIDERED:

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXPRESS MAIL LABEL NO. EV669611737US
DATE OF DEPOSIT: February 28, 2006

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Attorney Docket Number	4239-66649-03
	Application Number	1 1 1 1 1 1 2
	Filing Date	Herewith
	First Named Inventor	Kashmiri
	Art Unit	
	Examiner Name	

FOREIGN PATENT DOCUMENTS						
Examiner's Initials*	A 'All market		Number Publication Date		Name of Applicant or Patentee	
		Canada	2,068,593	8 July 2003	Mark et al.	
		Canada	2,131,355	2 March 1996	Shu et al.	
		EPC	EP0239400	30 Sep 1987	Winter, G.	
		EPC	EP0365997	2 May 1990	Mezes et al.	
		WIPO/PCT	WO 89/00692	26 Jan 1989	Schlom et al.	
		WIPO/PCT	WO 89/01783	9 March 1989	Bodmer et al.	
		WIPO/PCT	WO 90/04410	3 May 1990	Mezes et al.	
		WIPO/PCT	WO 91/00295	10 Jan 1991	Hellstrom et al.	
		WIPO/PCT	WO 93/12231	24 June 1993	Mezes et al.	
		WIPO/PCT	WO 96/13594 🖍	9 May 1996	Pastan et al.	
		WIPO/PCT	WO 97/26010 /	24 July 1997	Blackburn et al.	
		WIPO/PCT	WO 98/18809 /	7 May 1998	Greenburg et al.	
		WIPO/PCT	WO 99/43816	2 Sep 1999	Anderson et al.	
		WIPO/PCT	WO 00/26394	11 May 2000	Kashmiri et al.	
		WIPO/PCT	WO 04/003155 /	8 January 2004	Kashmiri et al.	

EXAMINER	DATE
SIGNATURE:	CONSIDERED:

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Attorney Docket Number	4239-66649-03
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	99/570000
	Filing Date	Herewith OCOCC
	First Named Inventor	Kashmiri
	Art Unit	
	Examiner Name	

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
		ABERGEL et al., "Crystallographic Studies and Primary Structure of the Antitumor Monoclonal CC49 Fab'," Proteins: Structure, Function, and Genetics 17:438-443, 1993.
		BERZOFSKY et al., p. 242, Fundamental Immunology, Paul (Ed.) Raven Press, NY, 1993
		COLCHER et al., "Radioimmunolocalization of Human Carcinoma Xenografts with B72.3 Second Generation Monoclonal Antibodies," Cancer Research 48:4597-4603, 1988.
		De PASCALIS et al., "Generation of minimally immunogenic high affinity variants of humanized anti-carcinoma antibody HuCC49V10 by in vitro affinity maturation," Proceedings of the American Association for Cancer Research, 44(2):1115-1116, 2003.
		De PASCALIS et al., "In Vitro Affinity Maturation of a Specificity-Determining Region-Grafted Humanized Anticarcinoma Antibody: Isolation and Characterization of Minimally Immunogenic High-Affinity Variants," Clinical Cancer Research, 9:5521-5531, 2003.
		DIVGI et al., "Clinical Comparison of Radiolocalization of Two Monoclonal Antibodies (mAbs) Against the TAG-72 Antigen," Nucl. Med. Biol. 21(1):9-15, 1994.
		GONZALES <i>et al.</i> , "Minimizing immunogenicity of the SDR-grafted humanized antibody CC49 by genetic manipulation of the framework residues," <i>Molecular Immunology</i> , 40(6):337-349, 2003.
		GONZALES et al., "Reducing the potential immunogenicity of humanized CC49 by genetic manipulation of framework residues," Proceedings of the American Association for Cancer Research, 44:1118, 2003.
		HAKIMI et al., "Reduced immunogenicity and improved pharmacokinetics of humanized anti-Tac in cynomolgus monkeys," J. Immunol. 147:1352-1359, 1991.
		HAND et al., "Potential for Recombinant Immunoglobulin Constructs in the Management of Carcinoma," Cancer Supplement 73(3):1105-1113, 1994.
		IWAHASHI et al., "CDR Substitutions of a Humanized Monoclonal Antibody (CC49): Contributions of Individual CDRs to Antigen Binding and Immunogenicity," Molecular Immunology 36:1079-1091, 1999.
		JOHNSON et al., "Analysis of a Human Tumor-associated Glycoprotein (TAG-72) Identified by Monoclonal Antibody B72.3," Cancer Research 46:850-857, 1986.
		JONES et al., "Replacing the Complementarity-determining Regions in a Human Antibody with those from a Mouse," <i>Nature</i> 321:522-525, 1986.

EXAMINER	DATE	
SIGNATURE:	CONSIDERED:	

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT	
BY APPLICANT	

Attorney Docket Number	4239-66649-03
Application Number	14 °D (1)
Filing Date	Herewith Cololo
First Named Inventor	Kashmiri
Art Unit	
Examiner Name	

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
		KASHMIRI et al., Chapter 21 in Methods in Molecular Biology, Vol. 248: Antibody Engineering: Methods and Protocols, p. 361-376; Lo (ed.), Humana Press, Inc., Tolowa, NJ, 2003
		KASHMIRI et al., "Development of a minimally immunogenic variant of humanized anticarcinoma monoclonal antibody CC49," Crit. Rev. Oncol. Hematol. 38:3-16, 2001.
		KASHMIRI et al, "Generation, Characterization, and in Vivo Studies of Humanized Anticarcinoma Antibody CC49," Hybridoma 14(5):461-473, 1995.
		KASHMIRI et al., "SDR grafting – a new approach to antibody humanization," Methods, 36:25-34, 2005
		MULLIGAN et al., "Phase I Study of Intravenous ¹⁷⁷ Lu-labeled CC49 Murine Monoclonal Antibody in Patients with Advanced Adenocarcinoma," Clinical Cancer Research 1:1447-1454, 1995.
		MURARO et al., "Generation and Characterization of B72.3 Second Generation Monoclonal Antibodies Reactive with the Tumor-associated Glycoprotein 72 Antigen," Cancer Research 48:4588-4596, 1988.
		PADLAN, "A Possible Procedure for Reducing the Immunogenicity of Antibody Variable Domains while Preserving their Ligand-binding Properties," <i>Molecular Immunology</i> 28(4/5):489-498, 1991.
		PADLAN, "Anatomy of the antibody molecule," Mol. Immunol. 31:169-217, 1994.
		PADLAN et al., "Identification of Specificity-determining Residues in Antibodies," The FASEB Journal 9:133-139, 1995.
		RIECHMAN et al., "Reshaping human antibodies for therapy," Nature (London) 332:323-327, 1988.
		RIXON et al., "Preferential Use of a H Chain V Region in Antitumor-associated Glycoprotein-72 Monoclonal Antibodies," <i>The Journal of Immunology</i> 151(11):6559-6568, 1993.
		RUDIKOFF et al., "Single amino acid substitution altering antigen-binding specificity," PNAS 79(6):1979-1983, 1982
		SALDANHA <i>et al.</i> , "A single backmutation in the human kIV framework of a previously unsuccessfully humanized antibody restores the binding activity and increases the secretion in cos cells," <i>Mol. Immunol.</i> 36:709-719, 1999.

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Attorney Docket Number	4239-66649-03
	Application Number	70220
	Filing Date	Herewith
	First Named Inventor	Kashmiri
	Art Unit	
	Examiner Name	

	SCHIER et al., "Isolation of picomolar affinity anti-c-erbB-2 single-chain Fv by
	molecular evolution of the complementarity determining regions in the center of the
	antibody binding site," <i>J. Mol. Biol.</i> 263:551-567, 1996.
	SHA et al., "A Heavy-chain Grafted Antibody that Recognizes the Tumor-associated
	TAG72 Antigen," Cancer Biotherapy 9(4):341-349, 1994.
	SHARKEY et al., "Evaluation of a complementarity-determining region-grafted
	(humanized) anti-carcinoembryonic antigen monoclonal antibody in preclinical and
	clinical studies," Cancer Res. 55:5935s-5945s, 1995.
	SLAVIN-CHIORINI et al., "A CDR-grafted (humanized) domain-deleted antitumor
	antibody," Cancer Biother. Radiopharm. 12:305-316, 1997.
	SLAVIN-CHIORINI et al., "Biological Properties of Chimeric Domain-deleted
	Anticarcinoma Immunoglobulins," Cancer Research (Supplement) 55:5957s-5967s, 1995.
	TAMURA et al., "Structural Correlates of an Anticarcinoma Antibody: Identification of
	Specificity-determining Residues (SDRs) and Development of a Minimally Immunogenic
	Antibody Variant by Retention of SDRs Only," Journal of Immunology 164(3):1432-
	1441, 2000.
	WU et al., "Humanization of a murine monoclonal antibody by simultaneous optimization
	of framework and CDR residues," J. Mol. Biol. 294:151-162, 1999.
	XIANG et al., "The Tyrosine Residue at Position 97 in the V _H CDR3 Region of a
	Mouse/Human Chimeric Anti-Colorectal Carcinoma Antibody Contributes Hydrogen
	Bonding to the TAG72 Antigen," Cancer Biotherapy 8(3):253-262, 1993.
	XIANG et al., "Complementarity Determining Region Residues Aspartic Acid at H55,
	Serine at H95 and Tyrosines at H97 and L96 Play Important Roles in the B72.3 Antibody-
	TAG72 Antigen Interaction," Protein Engineering 9(6):539-543, 1996.
	XIANG et al., "Light-chain framework region residue Tyr71 of chimeric B72.3 antibody
	plays an important role in influencing the TAG72 antigen binding," Protein Eng. 12:417-
	421, 1999.
	International Search Report issued on April 15, 2005, for PCT Patent Application No.
	PCT/US2004/028004.

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.